

Contents

Letters to the Editor

A molecular jet and bow shock in the low mass protostellar binary NGC 1333-IRAS 2

Sandell G., Knee L.B.G., Aspin C., Robson I.E., Russell A.P.G.

A hint on the age and helium content of the Galactic Bulge

Renzini A.

Observations of the OH Meinel system in comet P/Swift-Tuttle

Tozzi G.P., Feldman P.D., Weaver H.A.

Narrow features in the early spectrum of SN 1993J

Benetti S., Patat F., Turatto M., Contarini G., Gratton R., Cappellaro E.

A Doppler image of the weak T Tauri star V 410 Tau

Strassmeier K.G., Welty A.D., Rice J.B.

PSR 1718-19 and destructive tidal circularization

Verbunt F.

Doppler imaging of the T Tauri star V 410 Tau

Joncour I., Bertout C., Ménard F.

Time/frequency analysis of solar *p*-modes

Baudin F., Gabriel A., Gibert D.

Organometallic chemistry and the interstellar medium: experimental evidence of coordination between metal cations and polycyclic hydrocarbons in the gas phase

Boissel P.

Cosmology

The faint galaxy correlation or lack thereof

Roukema B.F., Peterson B.A.

On a generalization of the Zeldovich approximation for a low-viscosity self-gravitating fluid

Dubrulle B.

Extragalactic astronomy

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. II. Discussion

Comte G., Augarde R., Chalabaev A., Kunth D., Maehara H.

Cool-FIR/radio correlation for late-type galaxies - The case for Supernova progenitors

Xu C., Lisenfeld U., Völk H.J.

Relic radio galaxies: evolution of synchrotron spectrum

Komissarov S.S., Gubanov A.G.

High resolution optical images of the starburst ring around the Seyfert nucleus of NGC 7469

Mauder W., Weigelt G., Appenzeller I., Wagner S.J.

Global properties of dwarf galaxies. II. Colours and luminosities

Melisse J.P.M., Israel F.P.

The CO distribution in three peculiar galaxies of the A 1367 cluster

Boselli A., Gavazzi G., Combes F., Lequeux J., Casoli F.

Is dark matter in spiral galaxies cold gas? I. Observational constraints and dynamical clues about galaxy evolution

Pfenniger D., Combes F., Martinet L.

Is dark matter in spiral galaxies cold gas? II. Fractal models and star non-formation

Pfenniger D., Combes F.

Simultaneous observations of Seyfert 1 galaxies with IUE, ROSAT and Ginga

Walter R., Orr A., Courvoisier T.J.-L., Fink H.H., Makino F., Otani C., Wamsteker W.

Long slit spectroscopy of extended ionized nebulosities around four quasars

Boisson C., Durret F., Bergeron J., Petitjean P.

The extended H I halo in NGC 4449

Bajaja E., Huchtmeier W.K., Klein U.

Angular momentum redistribution and spin tilt during *N*-body collapse: phenomenological implications

Curir A., Diaferio A.

The quasar 3C 395 revisited: new VLBI observations and numerical simulations

Lara L., Alberdi A., Marcaide J.M., Muxlow T.W.B.

Star formation and merging in compact groups of galaxies

Moles M., del Olmo A., Perea J., Masegosa J., Márquez I., Costa V.

Erratum Extinction and the wavelength-dependent positions of the nuclei of NGC 6240

Schulz H., Fried J.W., Röser S., Keel W.C.

High-resolution spectroscopy of two young stars between the Magellanic Clouds

Hambly N.C., Dufton P.L., Keenan F.P., Rolleston W.R.J., Howarth I.D., Irwin M.J.

The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. I. The formalism

Emsellem E., Monnet G., Bacon R.

The multi-gaussian expansion method: a tool for building realistic photometric and kinematical models of stellar systems. II. Application to the central region of the Sombbrero Galaxy (NGC 4594)

Emsellem E., Monnet G., Bacon R., Nieto J.-L.

Star formation in merging galaxies

Fritze-v. Alvensleben U., Gerhard O.E.

- The star formation history of NGC 7252
Frütze-v. Alvensleben U., Gerhard O.E.
- The galaxy population in the cluster Cl 1409+524 (3C 295)
Thimm G.J., Röser H.-J., Hippelein H., Meisenheimer K.
- Feature velocities in disk galaxies
Engström S.
- Spectral properties of X-ray loud extragalactic radio sources
Brinkmann W., Siebert J.
- Pulsational parallaxes and calibration of the cosmic distance scale by Cepheid variable stars
Di Benedetto G.P.
- Atomic hydrogen in the NGC 4631 group of galaxies
Rand R.J.
- Monitoring of active galactic nuclei. V. The Seyfert 1 galaxy Markarian 279
Stirpe G.M., Alloin D., Axon D.J., Clavel J., de Bruyn A.G., del Olmo A., Goad M., Gondhalekar P.M., Jackson N., Kollatschny W., Laurikainen E., Lawrence A., Masegosa J., McHardy I.M., Moles M., O'Brien P.T., Penston M.V., Perea J., Pérez E., Pérez-Fournon I., Robinson A., Rodríguez-Espinosa J.M., Tadhunter C.N., Terlevich R.J., Unger S.W., van Groningen E., Vila-Vilaró B., Wagner S.J.
- Galactic structure and dynamics**
- Evolution of carbon and oxygen in the Galaxy: the effect of metallicity dependent yields
Prantzos N., Vangioni-Flam E., Chauveau S.
- New radial velocities for classical Cepheids. Local galactic rotation revisited
Pont F., Mayor M., Burki G.
- Chemical composition and atmospheric parameters of metal-poor halo stars
Nissen P.E., Gustafsson B., Edvardsson B., Gilmore G.
- Stellar clusters and associations**
- (RN) Spectroscopic identification of white dwarfs in galactic clusters. VII. NGC 6633
Reimers D., Koester D.
- (RN) Discovery of an obscured globular cluster candidate in the bulge
Bica E.
- NGC 6522: an intermediate metallicity globular cluster projected on the Baade Window
Barbuy B., Ortolani S., Bica E.
- NGC 2451 - What is it?
Röser S., Bastian U.
- Formation, structure and evolution of stars**
- Fourier coefficients of nonlinear oscillators
Antonello E.
- The late evolution of the type II SN 1990E
Benetti S., Cappellaro E., Turatto M., Della Valle M., Mazzali P.A., Gouffes C.
- (RN) An optical flare on YZ Canis Minoris
Gunn A.G., Doyle J.G., Mathioudakis M., Avgoloupis S.
- Observations of gamma-ray bursts by COMPTEL
Hanlon L.O., Bennett K., Collmar W., Connors A., Diehl R., van Dijk R., Greiner J., den Herder J.W., Hermesen W., Kippen R.M., Kuiper L., McConnell M., Ryan J., Schönfelder V., Steinle H., Strong A., Varendorff M., Williams O.R., Winkler C.
- Nebular emission lines in IRAS 10215-5916
García-Lario P., Manchado A., Parthasarathy M., Pottasch S.R.
- Stationary boundary layers of accretion α disks: profiles and emission properties
Lioure A., Le Contel O.
- (RN) A supposed brightening of η Carinae
Feast M.W., Whitelock P.A., Warner B.
- Spectra of 45 pulsars
Malofeev V.M., Gil J.A., Jessner A., Malov I.F., Seiradakis J.H., Sieber W., Wiebeinski R.
- Soft X-ray observations of EXO 2030+375
Mavromatakis F.
- BL Herculis model pulsations. III. Livermore opacities
Buchler J.R., Buchler N.E.G.
- A search for rapid radial velocity variations in α Circini
Hatzes A.P., Kürster M.
- Investigation of the semidetached eclipsing binary RZ Draconis
Kreiner J.M., Pajdosz G., Tremko J., Zola S.
- CO depletion in the protoplanetary disk of β Pictoris
Savolainen M., Galletta G.
- On the Oosterhoff-Arp-Sandage period-shift effect and its evolutionary interpretation
Catelan M.
- Low-mass stars: pre-main sequence evolution and nucleosynthesis
Forestini M.
- High-velocity evaporation during a flare on AT Microscopii
Gunn A.G., Doyle J.G., Mathioudakis M., Houdebine E.R., Avgoloupis S.
- More H₂O masers in J-type carbon stars
Engels D.
- Soft and hard X-ray observations of 4U 1626-67
Mavromatakis F.
- Near-simultaneous ROSAT and Ginga observations of the 1991 X-ray transient in Musca
Greiner J., Hasinger G., Molendi S., Ebisawa K.
- The Fourier decomposition of new light curves of Cepheids with $P < 7$ d
Poretti E.
- Rediscussion of photometric data and an accretion disk model for the 96-day binary UU Cancri
Zola S., Hall D.S., Henry G.W.
- Studies of early-type variable stars. XII. Spectroscopic orbit and absolute parameters of AT Pegasi
Maxted P.F.L., Hill G., Hilditch R.W.
- Angular diameters of the carbon stars UU Aurigae, Y Canum Venaticorum, and TX Piscium from optical long-baseline interferometry
Quirrenbach A., Mozurkewich D., Hummel C.A., Buscher D.F., Armstrong J.T.
- (RN) A 21-hour period in the quiescent radio emission of Cygnus X-3
Peracaula M., Paredes J.M., Martí J., Rius A., Estalella R.
- (RN) Red giant branches as a probe of stellar convective cores
Castellani V., Villani D.
- Photometry and polarimetry of pre-main sequence stars
Hutchinson M.G., Albinson J.S., Barrett P., Davies J.K., Evans A., Goldsmith M.J., Maddison R.C.
- Instabilities of protostellar cores. The influence of adaptive grids on instabilities of first protostellar cores
Kürschner R.

- ROSAT observations of soft X-ray transients in quiescence
Verbunt F., Belloni T., Johnston H.M., van der Klis M., Lewin W.H.G. 903
- Period of the Si-star in NGC 2169
Renson P. 912
- CNO isotopes in red giants: theory versus observations
El Eid M.F. 915
- Jet flows and disk winds from T Tauri stars: the case of CW Tau
Hirth G.A., Mundt R., Solf J. 929
- Stellar atmospheres**
- Parametric determination of the inclination, velocity and density structure of circumstellar discs from spectropolarimetric profiles of scattered lines
Wood K., Brown J.C. 220
- Vega: smaller dust grains in a larger shell
van der Blik N.S., Prusti T., Waters L.B.F.M. 229
- Lower chromospheric activity in low activity M dwarfs
Doyle J.G., Houdebine E.R., Mathioudakis M., Panagi P.M. 233
- V 417 Centauri: a yellow symbiotic system in a resolved nebula
Van Winckel H., Schwarz H.E., Duerbeck H.W., Fuhrmann B. 241
- Molecular observations of O- and C-rich circumstellar envelopes
Bujarrabal V., Fuente A., Omont A. 247
- Photometric and spectroscopic studies of cool stars discovered in EXOSAT X-ray images. II. Lithium abundances
Tagliaferri G., Cutispoto G., Pallavicini R., Randich S., Pasquini L. 272
- ZEBRA - Zeeman Broadening Analysis of magnetic white dwarfs. I. Maximum entropy reconstruction of H α profiles
Donati J.-F., Achilleos N., Matthews J.M., Wesemael F. 285
- A study of dust shells around high latitude supergiants
van der Veen W.E.C.J., Waters L.B.F.M., Trams N.R., Matthews H.E. 551
- The extent of variability in the stellar wind of the O 7.5 giant ξ Persei
Henrichs H.F., Kaper L., Nichols J.S. 565
- The nature of the brightest galactic center He I emission line star
Najarro F., Hillier D.J., Kudritzki R.P., Krabbe A., Genzel R., Lutz D., Drapatz S., Geballe T.R. 573
- Balmer lines in cool dwarf stars. II. Effective temperatures and calibration of colour indices
Fuhrmann K., Axer M., Gehren T. 585
- The shock strength in super- and hypergiant atmospheres derived from microturbulence data
Nieuwenhuijzen H., de Jager C., Cuntz M. 595
- The Balmer line problem of hot stars and the impact of ion-dynamical effects on the Stark broadening of H I and He II lines
Napiwotzki R., Rauch T. 603
- The Wilson-Bappu effect and other Ca II H and K line parameters relationships in chromospherically active binaries
Montes D., Fernández-Figueroa M.J., De Castro E., Cornide M. 609
- The soft X-ray/microwave ratio of solar and stellar flares and coronae
Benz A.O., Güdel M. 621
- Stellar atmospheric parameters for F-G-K stars from low-resolution data: method and application to a sample of proper motion stars
Cuisinier F., Buser R., Acker A., Cayrel R., Jasiewicz G., Fresneau A. 943
- Numerical calculations of SiO maser emission. I. Intensity and variability
Bujarrabal V. 953
- Numerical calculations of SiO maser emission. II. Angular extent
Bujarrabal V. 971
- A spectroscopic and photometric study of the long cycle dwarf nova WX Ceti in quiescence
Mennickent R. 979
- An operator splitting method for atmospheres with shocks
Buchholz B., Hauschildt P.H., Rammacher W., Ulmschneider P. 987
- HE 1045-0908: a new magnetic DA white dwarf with a distinctive Zeeman line splitting pattern
Reimers D., Jordan S., Köhler T., Wisotzki L. 995
- Diffuse matter in space (including H II regions and planetary nebulae)**
- Millimetre observations of southern translucent clouds
Gredel R., van Dishoeck E.F., Black J.H. 300
- Expanding rings in the WR nebula NGC 2359
Goudis C.D., Christopoulou P.-E., Meaburn J., Dyson J.E. 631
- Complex interstellar absorption lines of C₂ in the Cygnus OB 2 association
Gredel R., Münch G. 640
- GeV/TeV gamma-ray emission from dense molecular clouds overtaken by supernova shells
Aharonian F.A., Drury L.O'C., Völk H.J. 645
- Chemical abundances of symbiotic nebulae. II
Costa R.D.D., de Freitas Pacheco J.A. 998
- The dust heating mechanism in the coal model
Guillois O., Nenner I., Papoular R., Reynaud C. 1003
- The Sun**
- The height dependence of intensity and velocity structures in the solar photosphere
Salucci G., Bertello L., Cavallini F., Ceppatelli G., Righini A. 322
- The deep layers of solar magnetic elements
Grossmann-Doerth U., Knölker M., Schüssler M., Solanki S.K. 648
- Hanle effect of magnetic canopies in the solar chromosphere
Faurobert-Scholl M. 655
- Non-linear properties of the dynamics of bursts and flares in the solar and stellar coronae
Isliker H., Benz A.O. 663
- Height of formation of solar photospheric spectral lines
Grossmann-Doerth U. 1012
- The directivity and polarization of radio emission at the second harmonic of plasma frequency from coronal magnetic loops
Ledenev V.G. 1019
- Are magnetic null points important in solar flares?
Démoulin P., Hénoux J.C., Mandrini C.H. 1023
- The frequency ratio of bands of microwave spikes during solar flares
Krucker S., Benz A.O. 1038

Celestial mechanics and astrometry

Solar radiation pressure perturbations for Earth satellites. II. An approximate method to model penumbra transitions and their long-term orbital effects on LAGEOS

Vokrouhlický D., Farinella P., Mignard F. 333

Physical and chemical processes

Two-dimensional radiative transfer with partial frequency redistribution. I. General method

Auer L.H., Paletou F. 675

Particle acceleration at superluminal quasi-perpendicular shocks. Application to SN 1978K and SN 1987A

Achterberg A., Ball L. 687

Stability of a polytropic accretion disk around a black hole

Cao X., Zhang J. 1047

Instruments, data processing, and computational methods

A simple active corrector for liquid mirror telescopes observing at large zenith angles

Wang M., Moretto G., Borra E.F., Lemaître G. 344

(RN) eXCALIBUR - absolute calibration of the X-ray spectrum of the Crab Nebula

Nørgaard-Nielsen H.U., Budtz-Jørgensen C., Westergaard N.J., Schnopper H.W. 705

Abstracts of articles which have been published in A. & A. Suppl. Ser. 104, No. 2

Interstellar matter in Shapley-Ames elliptical galaxies. I. Multi-colour CCD surface photometry

Goudfrooij P., Hansen L., Jørgensen H.E., Nørgaard-Nielsen H.U., de Jong T., van den Hoek L.B. 354

Young stars associated with the Vela Molecular Ridge. I. VMR clouds C and D, Collinder 197 and Vela R2

Petersson B., Reipurth B. 354

Spectrographic study of a large sample of Kiso ultraviolet excess galaxies. I. The data

Augarde R., Chalabaev A., Comte G., Kunth D., Maehara H. 355

A CCD survey of galaxies. II. Observations with the 2.1 m telescope at San Pedro Martir

Gavazzi G., Garilli B., Carrasco L., Boselli A., Cruz-Gonzalez I. 355

A new catalogue of members and candidate members of the Herbig Ae/Be (HAEBE) stellar group

Thé P.S., de Winter D., Pérez M.R. 355

Mixing in ejecta of supernovae. II. Mixing width of 2 D Rayleigh-Taylor instabilities in the helium star models for type Ib/Ic supernovae

Hachisu I., Matsuda T., Nomoto K., Shigeyama T. 355

Evolutionary sequences of stellar models with new radiative opacities. III. $Z = 0.0004$ and $Z = 0.05$

Fagotto F., Bressan A., Bertelli G., Chiosi C. 356

Erratum CCD observations in 7 open clusters: NGC 2421, NGC 2439, NGC 2489, NGC 2567, NGC 2627, NGC 2658 and NGC 2910

Ramsay G., Pollacco D.L. 356

Abstracts of articles which have been published in A. & A. Suppl. Ser. 104, No. 3

Integrated photometric properties of open clusters

Battinelli P., Brandimarti A., Capuzzo-Dolcetta R. 357

Orbits of real and fictitious asteroids studied by numerical integration

Schubart J. 357

Passage through resonance of a dynamic tide in a rapidly evolving star

Ruymaekers E., Smeyers P. 357

A large, complete, volume-limited sample of G-type dwarfs. I. Completion of Strömberg *uvby* photometry

Olsen E.H. 358

The Hamburg Quasar Monitoring program (HQM) at Calar Alto. II. Lightcurves of weakly variable objects

Schramm K.-J., Borgeest U., Kühl D., von Linde J., Linnert M.D. 358

Observations of sources from the DRAO galactic plane survey: the SNR G104.7+2.8 and five sources near $l = 105^\circ$, $b = 0^\circ$

Green D.A., Joncas G. 358

The distribution of light in the barred spirals NGC 5757 and IC 1091

Saraiva Schröder M.F., Pastoriza M.G., Kepler S.O. 358

Optical astrometry of Benchmark radio sources. II. Positions of 29 compact extragalactic radio sources with respect to the International Reference Stars catalogue

Costa E., Loyola P. 359

Stark broadening of hydrogen Lyman and Balmer in the conditions of stellar envelopes

Stehlé C. 359

Search and redshift survey for IRAS galaxies behind the Northern Milky Way

Takata T., Yamada T., Saitō M., Chamaraux P., Kazés I. 359

uvby photometry of Orion population stars and related objects associated with six star forming regions

Terranegra L., Chavarria-K C., Diaz S., González-Patiño D. 359

Preview of accepted papers (April 1994)

1052

